

SPC FLOORING STUDIO

SPCフローリング

2026

NEW COLLECTION

新作コレクション

ARIMICHI

"Enduring beauty, defined."

Our Company

Welcome to AMA Group.


















ARIMICHI is where architectural surfaces transcend function and become expression. Rooted in the discipline of Japanese precision and guided by an unwavering respect for craftsmanship, **ARIMICHI** redefines the future of premium surfaces. We unite advanced Japanese engineering with a deeply client-centered design philosophy - creating materials that are not merely applied, but thoughtfully revealed. We specialize in high-performance SPC Wall Panels, SPC Flooring, and FOSB, each engineered through our proprietary 3D printing technology with 1,200 dpi. This exceptional resolution allows us to capture depth, texture, and tonal nuance with extraordinary clarity - delivering surfaces that feel as authentic as they look. Every panel and plank is an opportunity for perfection, tailored precisely to the vision it serves. **ARIMICHI** offers a seamless ecosystem - from conceptual design and technical consultation to meticulous execution. Our capabilities extend far beyond standard production. Through advanced digital printing and material engineering, we customize surfaces to meet individual spatial, aesthetic, and performance requirements. No two projects need be the same - because no two visions are. We are not simply a supplier. We are a creative and technical partner, committed to elevating each idea beyond expectation. Every surface we create is designed to endure - resilient, stable and precise - while embodying refined beauty suited for contemporary architecture and luxury interiors.




ARIMICHI

"Enduring beauty, defined."

Why ARIMICHI SPC Flooring?

-  Lower Thickness & Weight
-  Impact Resistances
-  Easy to Clean Floor
-  Stain Free
-  Green Product
-  Dust free Installaion
-  Flame Resistant
-  Scratch Resistant
-  Easy to Carry
-  Modular
-  Glue Free
-  Less Dead Weight
-  Quick Installaion
-  Recyclable
-  Weather Proof
-  Termite Resistant
-  Water Proof

Structure



UV Coating

Reduce fading to sun light near window or any other indoor environment

Wear Layer

Strong wear-resistance for foot trac and make the surface scratch resistance.

Decor Film

A design layer of high-resolution photo of real wood that is reproduced with sophisticated printing techniques.

SPC Core Sheet

primary layer of the SPC structure

Underlayment

Effective sound reduction and cushioning incorporates amoisture barrier and mold repellent

ARIMICHI is the next-generation floor solution that blends innovative Stone Plastic Composite (SPC) technology with the timeless spirit of Japanese craftsmanship. More than just waterproof and scratch-resistant, our collection features designs inspired by Japan's natural beauty and traditional patterns. From apartment renovations to commercial spaces, we transform every environment into a place of enduring beauty, comfort and resilience.

ARIMICHI

"Enduring beauty, defined."

HINOKI




FS601

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm


Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

SHIZEN



FS602

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm

Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

KIWAMI



FS603

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm

Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

IWAGI



FS604

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm


Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

KOSEI



FS605

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm

Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

IWATO



FS606

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm


Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

MATSU



FS510

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm

Wear layer:
0.2mm



ARIMICHI

"Enduring beauty, defined."

SEIZAN



FS512

Size :
183 x 1220mm

Thickness :
5mm / 6mm

Underlayment:
1.5mm

Wear layer:
0.2mm



SPC Flooring Technical Data

CHARACTERISTICS	STANDARDS			
	EN	Result	ASTM	Result
Size	EN 427	Pass	ASTM F536	Pass
Overall Thickness	EN 428	Pass	ASTM F36	Pass
Wear Layer Thickness	EN 429	Pass	ASTM F410	Pass
Dimension Squareness and Straightness	EN 427	Pass Squareness:0.18mm Straightness:0.07mm		
Chemical Resistance	EN 423	Pass	ASTM F925, ASTM F1344	Pass
Colour Fastness to Artificial Light	EN20105:B02 Method A	Pass, ≥ Grade 6	ASTM F1515	Pass
Heat Stability by Color Change			ASTM F1514	Pass
Castor Chair Suitability	EN 425	Pass		
Residual Indentation	EN 433	Pass, 0.06mm	ASTM F1914, ASTM F970	Pass
Abrasion Group	EN 660-1/2	Group T	ASTM F510, ASTM D3384	Pass
Impact Resistance			ASTM F1265, ASTM D2632	Pass
Dimensional Stability	EN 434	Pass	ASTM F2199	Pass, 0.1%
Sound Reduction	ENISO717-2(ΔLw)	2 dB		
Flexibility	EN 435 Method A	Pass	ASTM F137	Pass
Slip Resistance	EN 13893	Class DS	ASTMD2047-93	Pass
Electrical Resistance	EN 1081 Method C	Pass	ASTM F150-06	Pass
Thermal Resistance	EN 12664	Pass		
Toxic Element Test	EN 71-3	Pass. Not toxic. Does not contain heavy metal and formaldehyde		
Behaviour to Fire	ENISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1	ASTM E648-06	Pass/Class1
Smoke Density			ASTM E662	Pass, <450

Product Size & Packing Details

Size	1220 x 183 mm
SPC Core Thickness	5.00 mm to 6.00 mm
Wearlayer	0.20 mm (20mil)
IXPE Underlayment	1.50mm

ARIMICHI

"Enduring beauty, defined."



AMA GROUP SDN. BHD.

HEAD OFFICE

D3A-09 BLOCK D KELANA SQUARE, JALAN SS 7/26, KELANA JAYA, 47301 PETALING JAYA, SELANGOR, MALAYSIA.

TEL: +603-7887 9650 / +6017-611 7677 / +6019-779 9650

OPERATIONS & TECHNICAL OFFICE

UNIT 808 8TH FLOOR, BUILDING B, SUIBAO YIPIN, BAGUE 3 ROAD, FUTIAN DISTRICT, SHENZHEN, 518000 CHINA.

TEL: +86 1501 3823 263 / +86 1882 3333 675

Whatsapp: +6017-611 7677
arimichidesigns@gmail.com

